Wisconsin Department of Safety and Professional Services Division of Industry Services PO Box 7302 Madison WI 53707-7302



Phone: 608-266-2112 Web: http://dsps.wi.gov Email: dsps@wisconsin.gov

Tony Evers, Governor Dawn Crim, Secretary

December 18, 2020

Larry Goudy, Zoning and Building Administrator City of Brookfield 2000 North Calhoun Road Brookfield, WI 53005 goudy@ci.brookfield.wi.us **VIA EMAIL**

Re: City of Brookfield Jurisdiction Request for Commercial Plumbing Plan Review

Dear Larry Goudy,

I am pleased to inform you that your municipality has been delegated commercial plumbing code enforcement authority per your request. Per Wis. Stat. § 145.2(5)(a) and Wis. Admin. Code § SPS 382.20(2), I delegate your municipality the primary responsibility to do plumbing plan review for the following plumbing installations identified in Wis. Admin. Code § SPS, Table 382.20-2:

- New installations, additions, and alterations to drain systems, vent systems, water service systems, and water distribution systems involving 16 or more plumbing fixtures to be installed in connection with public buildings. a,b
- 2. Grease interceptors to be installed for public buildings.
- Garage catch basins, carwash interceptors and oil interceptors to be installed for public buildings and facilities.
- 4. Sanitary dump stations.
- 5. Piping designed to serve as private water mains.
- 6. Piping designed to serve as private interceptor main sewers greater than 4 inches in diameter when sized for gravity flow.
- 7. Stormwater systems, not including infiltration plumbing systems, involving 16 or more plumbing fixtures and serving a public building or facility where the drainage area is one acre or more.
- 8. Mixed wastewater holding device.

^aFor the purposes of plan review submittal, water heaters, floor drains, storm inlets, root drains, multi-purpose piping, fire sprinklers, and hose bibbs are to be included in the count. For a phased project such as a mall or office complex, fixture count includes all proposed fixtures connected to a common building sanitary sewer, a common water service, and all storm sewers serving the building.

^bFor the purpose of plan submittal, public buildings do not include zero-lot-line row houses where each living unit is served by an individual water service and an individual building sewer.

An exception to this delegation is that our agency retains jurisdiction for plan review and inspection for all state-owned buildings, as well as projects for which the owner chooses to submit plans to our agency.

As a condition of this delegation, you are required to comply with the following:

- Notify the department, in writing, immediately of any personnel changes to plan review staff.
- Notify the Department, in writing, at least 30 days prior to the date upon which the appointed agent intends to relinquish the responsibilities assumed under this section.

The Department will periodically monitor municipalities and request activity reports to ensure that the delegated responsibilities are being properly fulfilled by the municipality. We do require that delegated municipal code officials hold the Wisconsin Commercial Plumbing Inspector certification, hold the Master Plumber or Journeyman Plumber certification, and attend agency-approved continuing education to maintain their certifications.

In accordance with 2017 Wisconsin Act 198, the Department will be implementing a five-year electronic renewal process. Please continue to monitor department correspondence as further details regarding this process are communicated.

I understand that the primary plumbing plan reviewer for your municipality, Kurt McMahon with SafeBuilt, has the proper certifications to do so.

Our plumbing consultant for your area, Robert Franke, at (262) 548-8604, is available to assist in any questions or concerns your municipality may have with implementing these plumbing plan review services.

The Division of Industry Services looks forward to working with you.

Sincerely,

Harry D. Krause

Garry Krause, Bureau Director, Technical Services Bureau

cc: Robert Franke, Commercial Plumbing Inspector, Technical Services Bureau